

MURDERED OUT SERIES AMPLIFIERS



- PROPRIETARY ISO-VENTILATION COOLING
- MOSFET HIGH SPEED SWITCHING POWER SUPPLY
- RCA LOW LEVEL INPUTS
- INPUT SENSITIVITY: 200MV - 8V
- 4 WAY PROTECTION CIRCUITRY
- VARIABLE LOW PASS FILTER: 40HZ - 120HZ
- VARIABLE HIGH PASS FILTER (A/B MOSFET AMPS)
- SUBSONIC CONTROL: 20HZ - 50HZ
- BASS BOOST CONTROL: 0-12DB @ 50HZ
- PHASE SHIFT SWITCH: 0 - 180°



Class D Monoblocks

AMA36001DH	1 x 1800w @ 1Ω • 1 x 1200w @ 2Ω • 1 x 600w @ 4Ω
AMA24001DH	1 x 1200w @ 1Ω • 1 x 800w @ 2Ω • 1 x 400w @ 4Ω

2ch Class A/B MOSFET Amps

AMA12002H	2 x 300w @ 2Ω • 2 x 150w @ 4Ω • 1 x 600w @ 4Ω
AMA6002H	2 x 150w @ 2Ω • 2 x 75w @ 4Ω • 1 x 300w @ 4Ω

4ch Class A/B MOSFET Amps

AMA12004H	4 x 150w @ 2Ω • 4 x 75w @ 4Ω • 2 x 300w @ 4Ω
------------------	--

MURDERED OUT SERIES SUBWOOFERS



- COMBINES A HIGH END MOTOR STRUCTURE WITH SHALLOW MOUNTING DEPTH
- POWDER COATE PROPRIETARY 3D FLAME BASKET
- PHAT 1.75" EPDM RUBBER SURROUND
- MOLDED TEXTURE INJECTED POLY CONE
- 8GA MULTI CONNECT LUG LOCK TERMINALS
- 2" DUAL 4Ω VOICE COILS

AMW120H	12" DUAL 4Ω
AMW100H	10" DUAL 4Ω

MURDERED OUT SERIES PARTY PACKS



- 800W RMS A/B AMPLIFIER WITH HI LEVEL INPUTS
- COBALT BLUE ILLUMINATION
- RCA THROUGH CONNECTIONS
- PHASE SHIFT CONTROL • THERMAL PROTECTION
- 10GA AMP INSTALL KIT WITH 17' RCA CABLE
- BASS REMOTE KNOB
- DUAL SLOT PORTED ENCLOSURE
- ENCLOSURE DIMENSIONS: 31.62W X 15.5H X 15.5D

AMPP212H	Dual 12" Party Pack 4Ω AT TERMINAL
-----------------	------------------------------------

MURDERED OUT SERIES COMPONENTS & COAXIALS



- STURDY STAMPED STEEL FLAME BASKET
- POWDER COATED OUTER CHASSIS
- NEODYMIUM TWEETER MAGNETS
- CARBON INJECTED CONE & BUTYL SURROUND
- 2 LAYER HIGH TEMP ASV VOICE COIL
- TWEETER PROTECTION CIRCUIT
- SILK DOME TWEETERS (AMC65H)
- 12DB EXTERNAL CROSSOVER (AMC65H)

Component Loudspeakers

AMC65H	6.5" Component Set w/Silk Dome Tweeters • 300w Peak
---------------	---

Coaxial Loudspeakers

AMS690H	6 x 9" Coaxials • 385w Peak
AMS680H	6 x 8" Coaxials • 190w Peak
AMS460H	4 x 6" Coaxials • 135w Peak
AMS620H	6-1/2" Coaxials • 180w Peak
AMS525H	5-1/4" Coaxials • 155w Peak
AMS400H	4" Coaxials • 135w Peak

INTAKE SERIES



- CLASS A/B MOSFET CIRCUITRY
- PWM MOSFET POWER SUPPLY
- DOUBLE SIDED GLASS EPOXY CIRCUIT BOARD
- THD: 0.02%
- S/N RATIO: >100DB [± 1DB]
- FR: 10HZ-40KHZ
- VARIABLE 18DB HIGH PASS CORSSOVER: 50HZ-750HZ
- VARIABLE 18DB LOW PASS CROSSOVER: 50HZ-120HZ
- VARIABLE SUBSONIC FILTER: 20HZ-50HZ
- BASS BOOST
- 3 WAY PROTECTION CIRCUITRY
- LARGE DISPLAY VOLT METER
- COBALT BLUE ILLUMINATION
- COOLING FAN
- HIGH GLOSS CHROME PLATED FINISH
- CALL FOR DIMENSIONS

Monoblock Intake Series

A16000J

1 x 900 @ 4Ω 1 x 1800 @ 2Ω

A8000J

1 x 500 @ 4Ω 1 x 1000 @ 2Ω

2ch Intake Series

A8002J

2 x 250 @ 4Ω 2 x 500 @ 2Ω
1 x 1000 @ 4Ω 1 x N/A @ 2Ω

A4002J

2 x 125 @ 4Ω 2 x 250 @ 2Ω
1 x 500 @ 4Ω 1 x N/A @ 2Ω

A2002J

2 x 75 @ 4Ω 2 x 100 @ 2Ω
1 x 300 @ 4Ω 1 x N/A @ 2Ω

4ch Intake Series

A6004J

4 x 100 @ 4Ω 4 x 200 @ 2Ω
2 x 400 @ 2Ω 2 x N/A @ 2Ω

A4004J

4 x 50 @ 4Ω 4 x 100 @ 2Ω
2 x 200 @ 2Ω 2 x N/A @ 2Ω

5ch Intake Series

A5005J

4 x 50 + 1 x 250 @ 4Ω
4 x 100 + 1 x 500 @ 2Ω
2 x 200 + 1 x 500 @ 4Ω

Intake Series Accessories

ABR100J

REMOTE BASS KNOB FOR INTAKE AMPS

ADM100J

REMOTE VOLT METER FOR INTAKE AMPS

HIGH EXCURSION SERIES



- TALL NARROW FOAM SURROUND
- HIGH GLOSS CARBON COMPOSITE/LAMINATED PULP CONE
- MULTI CONNECT LUG LOCK TERMINALS
- DUAL 4 OHM CONFIGURATION
- CHROME PLATED FLAME BASKET
- 3" VOICE COIL (15"); 2.5" VOICE COIL (10"/12")

AW1200J	12" DUAL 4Ω
AW1000J	10" DUAL 4Ω

LOW PROFILE SERIES



- PHAT 1.75" EPDM RUBBER SURROUND
- SPUN ALUMINUM CONE
- MULTI CONNECT LUG LOCK TERMINALS
- DUAL 4 OHM CONFIGURATION
- CHROME PLATED LOW PROFILE BASKET

AW1204J	12" DUAL 4Ω
AW1004J	10" DUAL 4Ω

NATURAL SOUND SERIES



- J-TYPE NARROW FOAM SURROUND
- KM3 COATED NON-PRESSED PAPER CONE
- MULTI CONNECT LUG LOCK TERMINALS
- DUAL 4 OHM CONFIGURATION
- CHROME PLATED FLAME BASKET
- 2" VOICE COILS

AW1571J	15" DUAL 4Ω
AW1251J	12" DUAL 4Ω
AW1051J	10" DUAL 4Ω

TWEETERS



AT60J	16mm Silk Dome
AT61J	19mm Titanium Dome
AST20J	20mm Silk Dome

PREAMP EQ



AEQ6J	8V 5 Band Preamp EQ
--------------	---------------------

PA PRO SERIES SPEAKERS



- ADJP15 LINKS TO ADJA15 MAKING BOTH SYSTEMS VERSATILE, CAPABLE OF DELIVERING IMMENSE SOUND
- PERFORM EXCEPTIONALLY IN CHALLENGING AUDIO ENVIRONMENTS
- 15" WOOFER, 44MM TITANIUM COMPRESSION TWEETER
- FR: 40HZ - 18KHZ
- 500W RMS / 1000W PEAK
- 8 OHM IMPEDANCE
- AMPLIFIED FEATURES: USB/SD CARD, COBALT BLUE DIGITAL DISPLAY, 2 MIC INPUT (XLR, 1/4", RCA)

ADJA15J	Amplified
ADJP15J	Passive
ADJSTAND	Stand