

FLEXIBLE LOW LOSS COMMUNICATIONS COAX

LMR®-100A

- Drop In Replacement For RG-316 / RG-174

LMR-100A-PVC	Flexible Low Loss Coax
LMR-100A-PVC500	Flexible Low Loss Coax - 500' Spool

LMR®-195

- Drop In Replacement For RG-58 / RG-142

LMR-195	Flexible Low Loss Coax
LMR-195-500	Flexible Low Loss Coax - 500' Spool
LMR195ULTRAFLEX	Flexible Low Loss Coax • Stranded Center Conductor & Rubber Outer Jacket Designed For Multiple Bending/Flexing Cycles
LMR195ULTRA500	Flexible Low Loss Coax - 500' Spool • Stranded Center Conductor & Rubber Outer Jacket Designed For Multiple Bending/Flexing Cycles
LMR-195-DB	Flexible Low Loss Coax • Direct Burial Version

LMR®-200

LMR-200	Flexible Low Loss Coax
LMR-200-500	Flexible Low Loss Coax - 500' Spool

LMR®-240

- Drop In Replacement For RG-8X

LMR-240	Flexible Low Loss Coax
LMR-240-500	Flexible Low Loss Coax - 500' Spool
LMR240ULTRAFLEX	Flexible Low Loss Coax • Stranded Center Conductor & Rubber Outer Jacket Designed For Multiple Bending/Flexing Cycles
LMR240ULTRA500	Flexible Low Loss Coax - 500' Spool • Stranded Center Conductor & Rubber Outer Jacket Designed For Multiple Bending/Flexing Cycles
LMR-240-LLPL	Flexible Low Loss Plenum Coax • Highly fire retardant - Ideal for runs within return air handling plenums

LMR®-400

- Drop In Replacement For RG-8 / 9913

LMR-400	Flexible Low Loss Coax
LMR-400-500	Flexible Low Loss Coax - 500' Spool
LMR400ULTRAFLEX	Flexible Low Loss Coax • Stranded Center Conductor & Rubber Outer Jacket Designed For Multiple Bending/Flexing Cycles
LMR400ULTRA500	Flexible Low Loss Coax - 500' Spool • Stranded Center Conductor & Rubber Outer Jacket Designed For Multiple Bending/Flexing Cycles
LMR-400-LLPL	Flexible Low Loss Plenum Coax • Highly fire retardant - Ideal for runs within return air handling plenums
LMR-400-LLPL500	Flexible Low Loss Plenum Coax - 500' Spool • Highly fire retardant - Ideal for runs within return air handling plenums
LMR-400-DB	Flexible Low Loss Watertight Coax • Waterproofing compound in and around the foil braid
LMR-400-DB-500	Flexible Low Loss Plenum Coax - 500' Spool • Waterproofing compound in and around the foil braid
LMR-400-FR	Flexible Low Loss Coax • Non-halogen (non-toxic), low smoke fire retardant cable (excl. air handling plenums).
LMR-400-75	Flexible Low Loss Watertight Coax • 75 Ohm Version



Times LMR cables are high performance broadband, flexible, low loss 50 Ohm coaxial communication cables designed for use in wireless applications such as:

- 2 way land mobile
- IEEE, 802.11a & 802.11b
- Cellular
- Wireless Local loop
- PCS
- LMDS
- Wireless Internet
- MMDS
- Broadband wireless
- CLEC
- Telemetry
- Paging

Times LMR cables can be used virtually anywhere high performance coaxial cables are used, including:

- Internal component and equipment wiring
- Inter/Intra cabinet jumpers
- Base station and antenna jumpers
- Tower and pole feeder runs
- In building runs, including riser runs and air handling plenums
- Rooftop installations

LMR[®]-600

LMR-600	Flexible Low Loss Coax
LMR600ULTRAFLEX	Flexible Low Loss Coax • Stranded Center Conductor & Rubber Outer Jacket Designed For Multiple Bending/Flexing Cycles
LMR-600-DB	Flexible Low Loss Watertight Coax • Waterproofing compound in and around the foil braid
LMR-600-FR	Flexible Low Loss Coax • Non-halogen (non-toxic), low smoke fire retardant cable (excl. air handling plenums).

T-RAD[®]-600

T-RAD-600-PVC	50 Ohm Leaky Feeder Coax Cable • Provides RF coverage in enclosed areas - broadband performance up to 2.5GHz
---------------	---

LMR[®]-900

LMR-900-DB	Flexible Low Loss Watertight Coax • Waterproofing compound in and around the foil braid
------------	--

CONNECTORS

CONNECTORS FOR LMR[®]-100

TC-100-SM	SMA Male • Solder Pin / Crimp Ferrule, Silver Body
-----------	--

CONNECTORS FOR LMR[®]-195

TC-195-NM	N Male • Solder Pin / Crimp Ferrule, Silver Body
TC-195-NMH-RA-D	N Male Right Angle • Solder Pin / Crimp Ferrule, Silver Body
TC-195-TM-X	TNC Male • Solder Pin / Crimp Ferrule, Silver Body

CONNECTORS FOR LMR[®]-200

TC-200-NMH-X	N Male • Solder Pin / Crimp Ferrule, Silver Body
TC-200-SM-SS-X	SMA Male • Solder Pin / Crimp Ferrule, Stainless Body
EZ-200-NMH-X	N Male • Spring Fit Pin / Crimp Ferrule, Alballoy Body
EZ-200-TM-X	TNC Male • Spring Fit Pin / Crimp Ferrule, Nickel Body

CONNECTORS FOR LMR[®]-240

TC-240-NMH-X	N Male • Solder Pin / Crimp Ferrule, Nickel Body
TC-240-NF-BH-X	N Female Bulkhead • Solder Pin / Crimp Ferrule, Alballoy Body
TC-240-TM-X	TNC Male • Solder Pin / Crimp Ferrule, Nickel Body
TC-240-BM-RA-D	BNC Male R/A • Solder Pin / Crimp Ferrule, Alballoy Body
TC-240-TM-RA	TNC Male R/A • Solder Pin / Crimp Ferrule, Nickel Body
TC-240-SM-SS-X	SMA Male • Solder Pin / Crimp Ferrule, Stainless Body
TC-240-716M-RAD	7/16 DIN Male R/A • Solder Pin / Crimp Ferrule, Stainless Body
EZ-240-BM-X	BNC Male • Spring Pin / Crimp Ferrule, Nickel Body
EZ-240-SM-X	SMA Male • Spring Pin / Crimp Ferrule, Nickel Body
EZ-240-SM-RA-X	SMA Male R/A • Spring Pin / Crimp Ferrule, Nickel Body
EZ-240-TM-X	TNC Male • Spring Pin / Crimp Ferrule, Nickel Body
EZ-240-NMH-X	N Male • Spring Pin / Crimp Ferrule, Alballoy Body



TC-200-NMH-X



TC-200-SM-SS-X



TC-240-TM-X



TC-240-SM-SS-X



EZ-240-SM-X



EZ-240-TM-X

CONNECTORS FOR LMR®-400

TC-400-NF-PL	N Female • Solder / Crimp, Nickel Body - For Plenum
TC-400-NM-75	N Male • Solder / Crimp, Nickel Body - For 75 Ohm
TC-400-NMH-PL-X	N Male • Solder / Crimp, Silver Body - For Plenum
TC-400-NMH-RA-D	N Male R/A • Solder / Crimp, Alballoy Body
TC-400-SM-X	SMA Male • Solder Pin / Crimp Ferrule, Nickel Body
TC-400-BM	BNC Male R/A • Solder Pin / Crimp Ferrule, Nickel Body
TC-400-MUHF	Mini UHF Male • Solder / Crimp, Nickel Body
TC-400-NFC	N Female • Solder Pin / Clamp Ferrule, Nickel Body
TC-400-NMH-X	N Male • Solder Pin / Crimp Ferrule, Alballoy Body
TC-400-TM-X	TNC Male • Solder Pin / Crimp Ferrule, Alballoy Body
TC-400-TM-RA-D	TNC Male R/A • Solder Pin / Crimp Ferrule, Alballoy Body
TC-400-716M RAD	7/16 DIN Male R/A • Solder Pin / Crimp Ferrule, Alballoy Body
EZ-400-BM-X	BNC Male • Spring Pin / Crimp Ferrule, Alballoy Body
EZ-400-BM-RA-X	BNC Male R/A • Spring Pin / Crimp Ferrule, Alballoy Body
EZ-400-FMH-75	F Male • Crimp, Nickel Plated Brass
EZ-400-NMC-2	N Male • Spring Pin / Crimp Ferrule, Nickel Body
EZ-400-NMH-RA-X	N Male R/A • Spring Pin / Crimp Ferrule, Alballoy Body
EZ-400-TM-RA-X	TNC Male R/A • Spring Pin / Crimp Ferrule, Alballoy Body
EZ-400-UM	UHF Male • Spring Pin / Crimp Ferrule, Alballoy Body
EZ-400-NF-X	N Female • Spring Pin / Crimp Ferrule, Nickel Body
EZ-400-NF-BH	N Female Bulkhead • Spring Pin / Crimp Ferrule, Nickel Body
EZ-400-NMH-X	N Male • Spring Pin / Crimp Ferrule, Alballoy Body
EZ-400-NMH-PL-X	N Male • Spring / Crimp, Alballoy Body - For Plenum
EZ-400-NMK-D	N Male • Spring / Crimp, Silver Body
EZ-400-TF-RP	TNC Female Rev Polarity • Spring / Crimp, Alballoy Body
EZ-400-TM-X	TNC Male • Spring Pin / Crimp Ferrule, Alballoy Body
EZ-400-TM-RP	TNC Male Rev Polarity • Spring / Crimp, Alballoy Body
CR-400-X	Ferrules For LMR400 Connectors - 10pk



TC-400-SM-X



TC-400-BM



EZ-400-UM



EZ-400-TF-RP



TC-600-NMH-X



EZ-600-NMH-RA-X



EZ-600-NMH-X

CONNECTORS FOR LMR®-600

TC-600-NF-BH	N Female Bulkhead • Solder / Crimp, Silver Body
TC-600-NF-PL	N Female • Solder / Crimp, Silver Body - For Plenum
TC-600-NMH-X	N Male • Spring Pin / Crimp Ferrule, Alballoy Body
EZ-600-NMH-PL-X	N Male • Spring / Crimp, Alballoy Body - For Plenum
EZ-600-NMH-RA-X	N Male R/A • Spring Pin / Crimp Ferrule, Silver Body
EZ-600-NF-BH	N Female Bulkhead Mount • Spring Pin / Crimp Ferrule, Silver Body
EZ-600-NF-X	N Female • Spring Pin / Crimp Ferrule, Silver Body
EZ-600-NMC-2-D	N Male • Spring Pin / Clamp Ferrule, Alballoy Body
TC-600-NMC-2-D	N Male • Solder Pin / Clamp Ferrule, Alballoy Body
EZ-600-NMH-X	N Male • Spring Pin / Crimp Ferrule, Alballoy Body
EZ-600-NMK	N Male • Spring Pin / Crimp Ferrule, Silver Body
EZ-600-TF-RP	TNC Female Rev Polarity • Spring / Crimp, Alballoy Body
EZ-600-TM-X	TNC Male • Spring Pin / Crimp Ferrule, Alballoy Body
TC-600-TM-X	TNC Male • Solder Pin / Crimp Ferrule, White Bronze Plated Brass Body
EZ-600-TM-RP	TNC Male Rev Polarity • Spring / Crimp, Alballoy Body
EZ-600-UM	UHF Male • Spring Pin / Crimp Ferrule, Silver Body
CR-600-X	Ferrules For LMR600 Connectors - 10pk

CONNECTORS FOR LMR®-900

EZ-900-NFC-2	N Female • Press Fit Pin / Clamp Ferrule, Silver Body
EZ-900-NMC-2	N Male • Press Fit Pin / Clamp Ferrule, Silver Body

TOOLS

Cable Prep Tools

CST-195/200	Cable Cutting & Deburring Tool for LMR195
CST-240A	Cable Cutting & Deburring Tool for LMR240
CST-400	Cable Cutting & Deburring Tool for LMR400
CST-600	Cable Cutting & Deburring Tool for LMR600
RB-CST	Replacement Blades for CST Tools
ST-240EZ**	Cable Prep Tool for LMR240
DBT-U	Deburring Tool for LMR195 thru LMR600



CST-240A



DBT-U



CCT-02



CT-240/200/100
CT-400/300

Flush Cut Tool

CCT-02	Flush Cable Cutting Tool for entire range of LMR cables
RB-01	Replacement Blade for CCT-01
RB-02	Replacement Blade for CCT-02

Connector Install Tools

Y1719	.429" Hex Die for TC400/EZ400 Connectors
Y1720	.610" Hex Die for TC600/EZ600 Connectors
WR-400	5/8" Box Wrench For EZ-400-NMC-2 Connectors
CT-600	Ratchet Type Crimp Tool For LMR600
CT-U	LMR400/LMR500/LMR600 Crimp Handle (req. dies)
CT-240/200/100	Crimp tool for LMR100, LMR195, LMR200, LMR240
CT-400/300	Crimp tool for LMR400, LMR300



TK-01

Connector Install Kits

TK-01	Tool Kit for LMR400 & LMR600 Connectors • Includes Prep Tools, Crimp Tool, Dies and Pouch.
TK-400EZ	Tool Kit for LMR400 Crimp Connectors • Includes Flush Cut Tool, Prep Tool, Crimp Tool and Pouch.
TK-600EZ	Tool Kit for LMR600 Crimp Connectors • Includes Flush Cut Tool, Prep Tool, Crimp Tool and Pouch.
TK-195/200	Tool Kit for LMR195/200 Crimp Connectors • Includes CCT-02, DBT-U, CST195/200, CT-240/200/100 and Pouch.
TK-240EZ	Tool Kit for LMR240 Crimp Connectors • Includes CCT-02, DBT-U, CST195/200, CT-240/200/100 and Pouch.



TK-400EZ



TK-600EZ

Connector Sealing

CS-4060T	Cold Shrink for LMR400
CS-A600T	Cold Shrink for LMR600
WK-S-2	Silicone Weather Sealing Kit (up to 12 connectors)
WK-U	Universal Weatherproof Kit (up to 6 connectors)
WSB-195-200	Weather Seal Boot For LMR195 EZ-Type Connectors
WSB-240	Weather Seal Boot For LMR240 EZ-Type Connectors
WSB-400	Weather Seal Boot For LMR400 EZ-Type Connectors
WSB-600	Weather Seal Boot For LMR600 EZ-Type Connectors



CS-A600T

WK-S-2



WSB-240

IPB™ Weather Seal Boot System

- IP68 Rated
- RoHS and REACH Compliant
- Simple one hand assembly
- Individually packed with silicone lubricant

IPB-400-NF	LMR400 Weather Seal Boot for N Female
IPB-400-NM	LMR400 Weather Seal Boot for N Male
IPB-400-NM-RA	LMR400 Weather Seal Boot for Right Angle N Male
IPB-500-NM	LDF4-50A Weather Seal Boot for N Female
IPB-600-NF	LMR600 Weather Seal Boot for N Female
IPB-600-NM	LMR600 Weather Seal Boot for N Male
IPB-600-NM-RA	LMR600 Weather Seal Boot for Right Angle N Male
IPB-LPO-875-DF	AVA5-50X Weather Seal Boot for DIN 7/16 Female
IPB-OR-NF	Antenna Port O-Ring Boot for DIN 7/16 Female
RUBBERSLIDE	Lubricant for IPB & WSB Weatherproof Boots



IPB™ Weather Seal Boot System

CABLE SUPPORT HARDWARE

Angle Adapter Kits

AA-U	Universal Angle Adapter Kit w/3/8" Threaded Inserts <ul style="list-style-type: none"> • 11ga Stainless Steel Construction • Includes (10) Set Bolts, (10) 3/8" Bolts, (10) Washers, and (10) 3/8" Inserts
AA-US	Universal Angle Adapter Kit w/3/4" Punched Holes <ul style="list-style-type: none"> • 11ga Stainless Steel Construction • Includes (10) Set Bolts



AA-U



AA-US

Round Member Adapters

RMA-100	Round Member Adapter 1"-2" Diameter (10 pcs)
RMA-200	Round Member Adapter 2"-3" Diameter (10 pcs)
RMA-300	Round Member Adapter 3"-4" Diameter (10 pcs)



RMA-200

Stand Off Adapters For Round Member Adapters

SA-38S	2" Stand Off Adapter w/3/8" Hole (10 pcs)
SA-SS	2" Stand Off Adapter w/3/4" Hole (10 pcs)



SA-38S
SA-SS



SHU-_00T

Snap In Hangers

SH-U600T	Snap In Hanger for LMR600 (10 pcs)
SH-U900T	Snap In Hanger for LMR900 (10 pcs)

Standard Hangers

BH-S38-NH	Standard Hanger Kit for LMR400 (10 pcs)
BH-S12-NH	Standard Hanger Kit for LMR600 (10 pcs)



BH-S__-NH

Cable Support Blocks

CB-600T	2 Hole Cable Support Block For LMR600 (10 pcs)
CB-900T	2 Hole Cable Support Block For LMR900 (10 pcs)
HK-DSCB	Hardware Kit for 2 Cable Support Blocks (10 pcs) <ul style="list-style-type: none"> • Includes (10) Threaded Rods, (30) Hex Nuts, (20) Flat Washers and (20) Lock Washers
HK-TSCB	Hardware Kit for 3 Cable Support Blocks (10 pcs) <ul style="list-style-type: none"> • Includes (10) Threaded Rods, (30) Hex Nuts, (20) Flat Washers and (20) Lock Washers



CB-600T
Shown with HK-TSCB

Mini Cluster Support Brackets

CS-BS	Supports Up To 3 Runs Of Coaxial Cable (10 pcs) <ul style="list-style-type: none"> • (3) 3/4" Holes, (3) 7/16" Holes and (1) 7/16" Mounting Hole for attachment to angle adapters, stand off adapters, or pre-punched tower member.
-------	---



CS-BS

Hoisting Grips

HG-400T	Lace Up Support/Hoisting Grip for LMR400
HG-600T	Lace Up Support/Hoisting Grip for LMR600
HG-900T	Lace Up Support/Hoisting Grip for LMR900



HG-00T

Port Entrance Panels

EP-220	4" EPDM Port Cushion w/6 Holes for LMR400
--------	---

Port Cushion Inserts


SC-400T-6	4" EPDM Port Cushion w/6 Holes for LMR400
SC-600T-1	4" EPDM Port Cushion w/1 Hole for LMR600
SC-600T-2	4" EPDM Port Cushion w/2 Holes for LMR600
SC-600T-3	4" EPDM Port Cushion w/3 Holes for LMR600
SC-900T-1	4" EPDM Port Cushion w/1 Hole for LMR900
SC-900T-2	4" EPDM Port Cushion w/2 Holes for LMR900
SC-900T-3	4" EPDM Port Cushion w/3 Holes for LMR900



SC-900T-1
SC-600T-2
SC-600T-1

Cushion Plugs

CP-600T	EPDM Rubber Cushion/Boot Plugs For LMR600 (5 pcs)
CP-900T	EPDM Rubber Cushion/Boot Plugs For LMR900 (5 pcs)



CP-600T

GROUNDING HARDWARE

Grounding Kits

GK-S400TT	Grounding Kit for LMR400 w/2 Hole 1/4" Crimp Lug
GK-S600TT	Grounding Kit for LMR600 w/2 Hole 1/4" Crimp Lug
GK-S900TT	Grounding Kit for LMR900 w/2 Hole 1/4" Crimp Lug
GK-TCAT	Grounding Kit for CAT5 & CAT6 Cable



GKS_00T

Grounding Kit Install Tools

GST-400A	Mid-Span Stripping Tool for LMR400
GST-600A	Mid-Span Stripping Tool for LMR600



GST-00A

TIMES PROTECT LIGHTNING PROTECTION

LP-BTR Series DC Blocked Multi Strike Design, 20 to 1000 MHz, Solid Brass Construction

LP-BTR-NFF	N-Female Equipment / N-Female Surge
LP-BTR-NMP	N-Male Equipment / N-Female Surge
LP-BTR-NMS	N-Female Equipment / N-Male Surge
LP-BTRW-NFF	N-Female Equipment / N-Female Surge - Weatherized
LP-BTRW-NMP	N-Male Equipment / N-Female Surge - Weatherized
LP-BTRW-NMS	N-Female Equipment / N-Male Surge - Weatherized



LP-BTR

LP-GTR Series DC Pass Multi Strike Design, DC to 3000 MHz, Solid Brass Construction

LP-GTR-NFF	N-Female Equipment / N-Female Surge (90V/50W)
LP-GTR-NFF-23	N-Female Equipment / N-Female Surge (230V/210W)
LP-GTR-NFF-35	N-Female Equipment / N-Female Surge (350V/550W)
LP-GTR-NFM	N-Male Equipment / N-Female Surge (90V/50W)
LP-GT	Replacement Gas Tubes for LP-GTR-N Series
LP-BFDN-CW	Bulkhead Flange Adapter for Type-N or 7/16 DIN
LP-GRN-10	Grounding Ring for Type-N Connector



LP-GTR-N

LP-STRL Series DC Blocked Multi Strike Design, 680 to 2200 MHz, Solid Brass Construction

LP-STRL-NFF	N-Female Equipment / N-Female Surge
LP-STRL-NMS	N-Female Equipment / N-Male Surge
LP-STRL-SFF	SMA-Female Equipment / SMA-Female Surge



LP-STRL-N

LP-STR Series DC Blocked Multi Strike Design, 700 to 2700 MHz, Solid Brass Construction

LP-STR-NFF	N-Female Equipment / N-Female Surge
LP-STR-NMP	N-Male Equipment / N-Female Surge
LP-STR-NMS	N-Female Equipment / N-Male Surge

LP-STRH Series DC Blocked Multi Strike Design, 700 to 2700 MHz, Solid Brass Construction

LP-STRH-NFF	N-Female Equipment / N-Female Surge
LP-STRH-NMP	N-Male Equipment / N-Female Surge
LP-STRH-NMS	N-Female Equipment / N-Male Surge



LP-GPX
LP-WBX

LP-GPX Series DC Blocked Bi-Directional Filter Based Design, 1000 to 2000 MHz

LP-GPX-05-N	N-Female Equipment / N-Female Surge - Weatherized
LP-GPX-05-SFF	SMA-Female Equip / SMA-Female Surge - Weatherized

LP-WBX Series DC Blocked Ultra Broadband Filter Based Design, 2000 to 6000 MHz

LP-WBX-NFF	N-Female Equipment / N-Female Surge
LP-WBX-NMP	N-Male Equipment / N-Female Surge
LP-WBX-NMS	N-Female Equipment / N-Male Surge

LP-HBX Series DC Blocked Multi Strike High Power Design, 100 to 700 MHz

LP-HBX-NFF	N-Female Equipment / N-Female Surge
LP-HBX-NMP	N-Male Equipment / N-Female Surge
LP-HBX-NMS	N-Female Equipment / N-Male Surge



LP-GTV-N

LP-GTV Series DC Pass Multi Strike Broadband Design, DC to 7000 MHz, Solid Brass Construction

LP-GTV-NFF	N-Female / N-Female Bi-Directional - Weatherized
LP-GTV-NFM	N-Female / N-Male Bi-Directional - Weatherized

LP-18-195 Series DC Pass Multi Strike Broadband Design, DC to 6000 MHz, Solid Brass Construction

LP-18-195-NF-X	N-Female / EZ-195-X Crimp Attachment - Weatherized
LP-18-195-NMH-X	N-Male / EZ-195-X Crimp Attachment - Weatherized

LP-18-240 Series DC Pass Multi Strike Broadband Design, DC to 6000 MHz, Solid Brass Construction

LP-18-240-NF-X	N-Female / EZ-240-X Crimp Attachment - Weatherized
LP-18-240-NMH-X	N-Male / EZ-240-X Crimp Attachment - Weatherized

LP-18-400 Series DC Pass Multi Strike Broadband Design, DC to 6000 MHz, Solid Brass Construction

LP-18-400-NF	N-Female / EZ400-X Crimp Attachment - Weatherized
LP-18-400-NMH-X	N-Male / EZ400-X Crimp Attachment - Weatherized

LP-SPT Portable Surge Protection Tester

LP-SPT	Surge Protection Tester w/N Terminals
--------	---------------------------------------

Data Line Over-Voltage Protection Ethernet, Power Over Ethernet, Power and Ethernet

LP-DOE-1GW	1000 Base-T Ethernet Data
LP-DOE-1G	1000 Base-T Ethernet Data - INDOOR VERSION - NOT WEATHERIZED
	<ul style="list-style-type: none"> • 1GB performance per RFC2544 test methods at 100m • Designed for indoor telecom and network applications

LP-POE-1GW	1000 Base-T Power Over Ethernet
LP-POE-1G	1000 Base-T Power Over Ethernet - INDOOR VERSION - NOT WEATHERIZED
	<ul style="list-style-type: none"> • 1GB performance per RFC2544 test methods at 100m • 60VDC protection on DC pins

LP-PAE-100W	1000 Base-T Power And Ethernet
LP-PAE-100	1000 Base-T Power And Ethernet - INDOOR VERSION - NOT WEATHERIZED
	<ul style="list-style-type: none"> • 10/100 Base-T performance per RFC2544 test methods at 100m • 60VDC protection on DC pins

CAT6 Cable & Grounding Kit

TCAT-6	CAT6 Shielded Cable
TCAT-6-DB	CAT6 Shielded Direct Buriable Cable
TCAT-RJ-45-25	CAT5/6 Shielded RJ45 Connectors for TCAT-6
GK-TCAT	Grounding Kit for CAT5 & CAT6 Cable

TIMES-PROTECT SMART-PANEL

SMART-PANEL SHELTER & BASE STATION ENTRANCE PANEL

- True single point grounding design
- Bulkhead mounting of surge protectors directly on the panel
- Low inductance ground plane
- No external copper master ground bar
- Completely weatherized
- Accommodates various wall thickness
- Supplied with necessary installation hardware including an inside copper master ground bar
- Constructed of powder coated heavy duty aluminum

LP-SP-06N	6 Port Smart-Panel for N Connections
LP-SP-12N	12 Port Smart-Panel for N Connections
LP-NP	Type N Smart-Panel Hole Plug
LP-FT-RHA	Panel Mount Entry Tube Kit



LP-18-400-N



LP-SPT



TCAT-6

GK-TCAT



SMART-PANEL