



SOLO-BARIC L7S SUBWOOFERS

- More cone area, more air displacement, and more volume than a round woofer
- Injection Molded polypropylene cone
- SoloKon™ 360 degree back bracing
- Santoprene surround with blue stitching
- Patented corner ribs minimize distortion
- UniPlate™ back plate and pole piece
- Perimeter venting for excellent thermal management
- Thick tinsel leads
- Cast aluminum basket and large ceramic magnet
- Nickel plated spring loaded speaker terminals

15" L7S Dual 2Ω	44L7S152
15" L7S Dual 4Ω	44L7S154
12" L7S Dual 2Ω	44L7S122
12" L7S Dual 4Ω	44L7S124
10" L7S Dual 2Ω	44L7S102
10" L7S Dual 4Ω	44L7S104
8" L7S Dual 2Ω	44L7S82
8" L7S Dual 4Ω	44L7S84



SOLO-BARIC L7R SUBWOOFERS

- More cone area, more air displacement, and more volume than a round woofer
- Injection Molded polypropylene cone
- SoloKon™ 360 degree back bracing
- Santoprene surround with red stitching
- Patented corner ribs minimize distortion
- UniPlate™ back plate and pole piece
- Perimeter venting for excellent thermal management
- Thick tinsel leads
- Stamped steel basket and large ceramic magnet
- Nickel plated spring loaded speaker terminals

15" L7R Dual 2Ω	45L7R152
15" L7R Dual 4Ω	45L7R154
12" L7R Dual 2Ω	45L7R122
12" L7R Dual 4Ω	45L7R124
10" L7R Dual 2Ω	45L7R102
10" L7R Dual 4Ω	45L7R104



SOLO-BARIC L7T ULTRA THIN SUBWOOFERS

- More cone area, more air displacement, and more volume than a round woofer
- Injection Molded polypropylene cone
- SoloKon™ 360 degree back bracing
- Santoprene surround with red stitching
- Patented corner ribs minimize distortion
- UniPlate™ back plate and pole piece
- Perimeter venting for excellent thermal management
- Thick tinsel leads
- Stamped steel basket and large ceramic magnet
- Nickel plated spring loaded speaker terminals

12" L7T Dual 2Ω	46L7T122
12" L7T Dual 4Ω	46L7T124
10" L7T Dual 2Ω	46L7T102
10" L7T Dual 4Ω	46L7T104
8" L7T Dual 2Ω	46L7T82
8" L7T Dual 4Ω	46L7T84



COMP VX SUBWOOFERS

- 3 sizes available in 2 or 4 Ohm DVC configuration
- Injection Molded polypropylene cone
- SoloKon™ cone reinforcement
- Ribbed Santoprene surround with blue stitching
- Oversized suspension system
- UniPlate™ back plate and pole piece
- Perimeter venting for excellent thermal management
- High strength insulated tinsel leads
- Cast aluminum basket and large ceramic magnet
- Satin nickel plated spring loaded speaker terminals

15" Comp VX Dual 2Ω	44CVX152
15" Comp VX Dual 4Ω	44CVX154
12" Comp VX Dual 2Ω	44CVX122
12" Comp VX Dual 4Ω	44CVX124
10" Comp VX Dual 2Ω	44CVX102
10" Comp VX Dual 4Ω	44CVX104



COMP RT SUBWOOFERS

- True shallow-mount subwoofer
- 4 sizes available, down to 6-3/4 inches in 1 or 2 Ohm DVC configuration
- Suitable for the trickiest installs - Great for compact car or motorcycle saddlebags
- Large-diameter, progressive-roll spider
- Inverted-bumped back plate and bumped top plate for full clearance and excursion
- High-temp coil wire winding around high-mass, solid pole piece
- Injection-molded polypropylene cone and tough Santoprene surround
- Full-coverage sealed steel basket
- Fully weather-proof for outdoor applications and powersports

12" Comp RT Dual 1Ω	43CWRT121
12" Comp RT Dual 2Ω	43CWRT122
10" Comp RT Dual 1Ω	43CWRT101
10" Comp RT Dual 2Ω	43CWRT102
8" Comp RT Dual 1Ω	43CWRT81
8" Comp RT Dual 2Ω	43CWRT82
6-3/4" Comp RT Dual 1Ω	43CWRT671
6-3/4" Comp RT Dual 2Ω	43CWRT672



COMP R SUBWOOFERS

- Workhorse woofer with advanced components and superior technology
- Large-diameter, progressive-roll spider with Spiralead™ woven tinsel leads
- One-piece UniPlate™ with vented pole piece and bumped back plate
- Added voicecoil clearance & High-temp coil wire
- Quad Venting™ includes slots under the cone, and pole piece venting
- Injection-molded polypropylene cone and tough Santoprene® surround
- Full coverage steel basket with minimized mounting depth

15" Comp R Dual 2Ω	43CWR152
15" Comp R Dual 4Ω	43CWR154
12" Comp R Dual 2Ω	43CWR122
12" Comp R Dual 4Ω	43CWR124
10" Comp R Dual 2Ω	43CWR102
10" Comp R Dual 4Ω	43CWR104
8" Comp R Dual 2Ω	43CWR82
8" Comp R Dual 4Ω	43CWR84



COMP C SUBWOOFERS

- 4 sizes available in either 2 or 4 Ohm, Single Voice Coil or Dual Voice Coil
- World famous, hard-hitting bass performance
- Significant increase in power handling over previous Comp-Series woofers
- Renowned KICKER power and durability
- Excellent for a sealed or vented enclosure, or in a freeair application
- Quad Venting™ includes vertical and horizontal slots under the cone, and venting in the pole piece
- Rip-resistant, large-diameter spider with high-strength Spiralead™ technology
- 1/4-inch heavy-duty spade connections

15" Comp C Dual 4Ω	44CWCD154
15" Comp C Single 4Ω	44CWCS154
12" Comp C Dual 4Ω	44CWCD124
12" Comp C Single 4Ω	44CWCS124
10" Comp C Dual 4Ω	44CWCD104
10" Comp S Single 4Ω	44CWCS104
8" Comp C Dual 4Ω	44CWCD84
8" Comp C Single 4Ω	44CWCS84



L7 / L7S / L7R SUB GRILLES

15" Solo (Square) Grill	08GL715
12" Solo (Square) Grill	08GL712
10" Solo (Square) Grill	08GL710
8" Solo (Square) Grill	08GL78



L7 / L7S / L7R LED GRILLES

- 7 different LED color options available (RGB, and combinations)
 - Remote controllable with the KMLC LED lighting controller
 - Brass inserts at screw locations for solid mounting
- | | |
|---------------------|------------------|
| 12" L7 Grille w/LED | 11L712GLC |
| 10" L7 Grille w/LED | 11L710GLC |



ROUND SUB GRILLES

15" Round Grill	GR150
12" Round Grill	GR120
10" Round Grill	GR100
8" Round Grill	GR80



COMP R / COMP RT GRILLES

15" Round Grill	43CWR15G
12" Round Grill	43CWR12G
10" Round Grill	43CWR10G
8" Round Grill	43CWR8G



SOLO-BARIC L7S LOADED ENCLOSURES

- Solo-Baric L7S subs in ready-to-install dual and single driver vented boxes
- Loaded with 10 or 12 inch subs
- Great for hatches or SUVs
- Space-saving 10-inch thin profile
- Custom engineered port design and heavy internal bracing
- Cosmetics include thick black carpeting, embroidered KICKER logo
- 2-Ohm final impedances designated at combo port/terminal cup assembly

Dual 12" - 2Ω	44DL7S122
Single 12" - 2Ω	44VL7S122
Single 10" Truck - 2Ω	44TL7S102



SOLO-BARIC L7R LOADED ENCLOSURES

- Solo-Baric L7R subs in ready-to-install dual and single driver vented boxes
- Loaded with 10 or 12 inch subs
- Great for hatches or SUVs
- VL7R10/12 feature a trapezoidal back made to fit snugly against the seat
- Custom engineered port design and heavy internal bracing
- Cosmetics include thick black carpeting, embroidered KICKER logo
- 2-Ohm final impedances designated at combo port/terminal cup assembly

Dual 12" - 2Ω	45DL7R122
Single 12" - 2Ω	45VL7R122
Single 10" - 2Ω	45VL7R102
Single 10" Truck - 2Ω	45TL7R102

IMAGE NOT
AVAILABLE
AT PRESS

SOLO-BARIC L7T LOADED ENCLOSURES

- Solo-Baric L7T subs in ready-to-install dual and single driver vented boxes
- Loaded with 10 or 12 inch subs
- Great for limited space applications
- Custom engineered port design and heavy internal bracing
- Cosmetics include thick black carpeting, embroidered KICKER logo

Single 12" - 2Ω	46TL7T122
Single 12" - 4Ω	46TL7T124
Single 10" - 2Ω	46TL7T102
Single 10" - 4Ω	46TL7T104
Single 8" - 2Ω	46TL7T82
Single 8" - 4Ω	46TL7T84



COMP RT LOADED ENCLOSURES

- 3 sizes (thin 12-inch/ thin 10-inch/ thin 8-inch) in 2 or 4 Ohm impedances
- Slim-profile CompRT and sealed enclosures installed in minutes
- Factory-tuned, high-performance made for space limited installs
- Loaded with a reflex subwoofer
- Sturdy MDF construction covered in charcoal carpeting with embroidered logo

Single 12" - 2Ω	43TCWRT122
Single 12" - 4Ω	43TCWRT124
Single 10" - 2Ω	43TCWRT102
Single 10" - 4Ω	43TCWRT104
Single 8" - 2Ω	43TCWRT82
Single 8" - 4Ω	43TCWRT84
Single 6.5" - 2Ω	43TCWRT672
Single 6.5" - 4Ω	43TCWRT674



COMP R LOADED ENCLOSURES

- 3 sizes (dual 12-inch/dual 10-inch/single 12-inch)
- All 2-Ohm impedance
- Factory-tuned, high-performance CompR subwoofers and enclosures
- Tough, max-output vented-design boxes
- Sturdy MDF construction with extensive internal bracing
- Covered in black carpeting with embroidered logo

Dual 12" - 2Ω	43DCWR122
Dual 10" - 2Ω	43DCWR102
Single 12" - 2Ω	43VCWR122



COMP C LOADED ENCLOSURES

- 4 sizes (dual 12-inch/dual 10-inch/single 12-inch/thin 10-inch)
- Factory-tuned, high-performance CompC subwoofers and enclosures
- Dual-woofer enclosures in 2 Ohm impedances
- Single-woofer enclosures in 2 or 4 Ohm impedances
- TCompC10 is a thin-profile enclosure designed for tight spaces
- Tough, max-output vented-design boxes
- Sturdy MDF boxes with rounded corners
- Covered in black carpeting with embroidered logo

Dual 12" - 2Ω	44DCWC122
Dual 10" - 2Ω	44DCWC102
Single 12" - 2Ω	44VCWC122
Single 12" - 4Ω	44VCWC124
Single 10" Truck - 2Ω	44TCWC102
Single 10" Truck - 4Ω	44TCWC104



TB SERIES COMPACT SUB SYSTEM

- Combines active CompR subwoofer with reflex subwoofer for deep excursion
- 8" or 10" sizes, 2 ohm or 4 ohm impedance
- Provides great bass and conveniently mounts anywhere
- Thick cylindrical ABS enclosure protects woofers loaded on each end
- Innovative brackets allow for horizontal or vertical mounting

10" 2Ω Subwoofer	46CWTB102
10" 4Ω Subwoofer	46CWTB104
8" 2Ω Subwoofer	46CWTB82
8" 4Ω Subwoofer	46CWTB42



HIDEAWAY POWERED SUBWOOFER

- 8" 150-watt ultra-compact powered subwoofer
- Quick-connect 10-pin Molex harness/plug for simple setup or removal
- Variable 50-125Hz 12dB/octave low-pass crossover
- Subsonic filter 24dB/octave high pass at 25Hz
- KickEQ™ 0-+6dB variable bass boost tuned to 40Hz w/Remote control
- Auto turn-on options include DC offset and 12V remote
- HI and LO level input selection for simple integration with most head units
- 0°/180° phase switch reduces phase cancelling for max bass output
- Nylon straps with Velcro® help secure in place
- HS8 9.4 lbs – 14-1/4"D x 3-1/8"H x 9-1/2"W

8" Powered Subwoofer	11HS8
----------------------	--------------



FULL RANGE ENCLOSED SPEAKERS

- Suitable For Indoor & Outdoor Use
- 8 Ohm Load, Ready To Be Driven By Home Receivers
- Perfect For Decks, Pools, Eaves, Boats, RV's, ORV's
- 6-1/2" Woofers & 2 x 5" Compression Loaded Horn Tweeters
- Precisely Tuned Polypropylene Cones
- Rugged Santoprene Surround
- Solid Molded Enclosures & Stainless Hardware

6-1/2" 2-Way	Black	11KB6000B
6-1/2" 2-Way	White	11KB6000W



KX SERIES AMPLIFIERS

- Black anodized aluminum chassis
- Top mounted red LED light pipe
- Covered audio control compartment
- Illuminated gain match knob
- FIT2™ (Fail-Safe Integration Technology) with lab-grade, balanced differential inputs
- Built in crossovers and adjustable 18dB KickEQ™ for dialing it in
- Variable 24dB crossover & 24dB subsonic filter
- SHOCwave bass restoration processor (Mono and 5ch models)
- 1 Ohm stable (Mono models and subwoofer output on 5ch models)
- KXARC remote controls up to 4 amplifiers - monitor clipping, gain, phase, boost
- KXARC remote included on 5ch and mono models

1 x 2400w @ 2Ω	44KXA24001
1 x 1600w @ 2Ω	44KXA16001
1 x 1200w @ 2Ω	44KXA12001
1 x 800w @ 2Ω	44KXA8001
1 x 400w @ 2Ω	44KXA4001
2 x 600w @ 2Ω	44KXA12002
2 x 200w @ 2Ω	44KXA4002
4 x 100w @ 2Ω	44KXA4004
4 x 100 + 1 x 400w @ 2Ω	44KXA8005



CX SERIES AMPLIFIERS

- 1 Ohm stable (Mono amps)
- Signature compact footprint with vertical mounting option (hardware included)
- Double-sided fiberglass circuit board & buffered RCA outputs (Mono amps)
- TO218 output devices for high-current switching (Mono amps)
- Features an optimized circuit layout for clearest sound quality
- FIT™ (Fail-Safe Integration Technology) with lab-grade, balanced differential inputs
- Metal end panels shield any radio interference and noise
- DC offset or 12v remote auto turn-on modes
- Built in crossovers and adjustable KickEQ™ for dialing it in
- 24dB/octave subsonic filter @ 25Hz featured on 5ch and mono amps
- Compatible with CXARC remote (5ch and mono amps)

1 x 1800w @ 2Ω/1Ω	46CX18001
1 x 1200w @ 2Ω/1Ω	46CX12001
1 x 800w @ 1Ω	46CX8001
1 x 400w @ 1Ω	46CX4001
4 x 90w @ 2Ω	46CX3604
4 x 90 + 1 x 300w @ 2Ω	46CX6005
Remote Bass Knob	46CXARC



KEY SMART AMPLIFIER & AUDIO PROCESSOR

- Test tones and microphone work in conjunction with a massive 40 Band Auto-EQ and powerful DSP, correcting audio for dramatic improvement
- Powerful internal computer delivers dramatic improvement in soundstage
- Auto 40 band EQ, Auto time alignment, Auto gain adjustment
- Auto speaker size detection
- 24dB crossovers
- 180W (4 x 45 Watts)
- FIT2 provides compatibility with nearly every stock and aftermarket radio
- Compatible with vehicles using start/stop systems
- Less than 8" long and 2" high
- Includes Auto EQ microphone with selector switch

KEY Smart Amplifier	45KEY1804
---------------------	------------------



FRONT ROW 6CH DIGITAL SIGNAL PROCESSOR

- Staging, imaging and bass response like the artist intended
- 28-/56-bit, double-precision DSP with 24-bit AD/DA converters
- Six channels of 32-step, fully variable digital crossovers with selectable slopes
- Input-gain and output-level controls for front, rear and subwoofer sections
- Variable subsonic filter & Legendary KickEQ™ boost for louder bass
- Clip Limiter provides the loudest, clearest sound and stops distortion
- SHOCwave™ (Sub-Harmonic Octave Creation) bass restoration circuit
- Speaker Time Alignment provides the car's driver with total sound stage control
- Simulated 5.1 Surround Sound mimics theater or venue tones
- Dash-mount remote controls time alignment, KickEQ, SHOCwave and Surround Sound
- Includes FIT™ (Fail-Safe Integration Technology) to integrate into most head units

Front Row DSP	12ZXDSP1
---------------	-----------------



SUMMING INTERFACE

- Sums & balances multiple varying signals from your factory system and provides a full bandwidth line level signal
- Adds AUX input to integrate portable media directly to your amp
- Simplifies installation of aftermarket amplifiers

Signal Summing Device	10ZXSUM8
-----------------------	-----------------



KS SERIES FULL RANGE COMPONENTS

- High power handling
- Extended dynamic range
- EVC Extended Voice Coil technology for deep, smooth bass
- Polypropylene woofer and tough rubber surrounds
- Silk dome tweeters with 3 way mounting
- Easily converts to coaxial design with included tweeter post

5-1/4" Components	44KSS504
6-1/2" Components	44KSS6504
6-3/4" Components	44KSS6704



KS SERIES FULL RANGE SPEAKERS

- High power handling, flexible fitment options and outstanding performance
- Stiff polypropylene cones and tough rubber surrounds for powerful bass
- High quality silk dome tweeters for natural sounding detailed highs
- Designed to fit in more cutout applications than ever with minimal tweeter protrusion and thin profile woofers with reduced mounting depth.

3.5" Coaxials	44KSC3504
4" Coaxials	44KSC404
4" x 10" Coaxials	44KSC41004
4" x 6" Coaxials	44KSC4604
5-1/4" Coaxials	44KSC504
6-1/2" Coaxials	44KSC6504
6-3/4" Coaxials	44KSC6704
6" x 8" Coaxials	44KSC6804
6" x 9" Coaxials	44KSC6904
6" x 9" 3-Way	44KSC69304



KS SERIES TWEETERS

- Lightweight neodymium magnets
- Soft silk dome for smooth, natural sound
- 12dB/octave crossover with poly switch protector
- Hardware for angled, surface or flush mounting

19mm Silk Dome Tweeters	46KST2004
25mm Silk Dome Tweeters	46KST2504



CS SERIES COMPONENT SYSTEMS

- 4 sizes (6-1/2, 6-3/4, 6 x 8, 6 x 9)
- Best value drop-in upgrade
- Smooth, impactful mids and tweets that unmistakably upgrade factory sound
- Reduced-depth baskets allow fitment into virtually any vehicle application
- Midranges' EVC™ (Extended Voice Coils) and heavy-duty motor structure provide foundation for signature sound
- Phase plugs on midrange drivers help eliminate distortion for utmost clarity
- Clear 3/4-inch (20mm) titanium tweeters
- Dependable 12dB/octave, 2-way crossovers centered at 4kHz
- Adjustable, 3-step tweeter attenuation at 0, -3, and -6dB
- Made to work best with CX-Series Amplifiers

6-1/2" Components	46CSS654
6-3/4" Components	46CSS674
6" x 8" Components	46CSS684
6" x 9" Components	46CSS694



CS SERIES FULL RANGE SPEAKERS

- 8 sizes to fit most any cutout, coupled with 1/2-inch tweeters
- Includes rugged 6x9, 3-way model with robust 2-inch midranges in addition to tweeters
- Best value drop-in upgrade
- Reliable, remarkable-sounding coaxials for easy drop-in, factory upgrades
- Reduced-depth baskets allow fitment into virtually any vehicle application
- Most models feature zero tweeter protrusion for compatibility with factory grilles
- Highest power handling ever for any KICKER entry-level coaxials
- EVC™ (Extended Voice Coils) and a heavy-duty motor structure provide the foundation for signature sound
- Made to work best with CX-Series Amplifiers

3.5" Coaxials	46CSC354
4" Coaxials	46CSC44
4" x 6" Coaxials	46CSC464
5-1/4" Coaxials	46CSC54
6-1/2" Coaxials	46CSC654
6-3/4" Coaxials	46CSC674
6" x 8" Coaxials	46CSC684
6" x 9" 3-Way	46CSC6934



KMTC HORN LOADED TOWER SYSTEM

- Tractrix® compression horn design with titanium tweeters
- UV treated injection molded polypropylene woofer cones
- Santoprene rubber surrounds
- Meets or exceeds ASTM standards for humidity and UV exposure
- Rustproof 316L stainless steel swivel mounting hardware
- Includes 7 color LED grilles (upgradeable to 20 color/19 modes with KMLC)
- Impedance: 4 Ohm
- Sold as Pairs

9" Horn Loaded Towers Charcoal	44KMTC94
9" Horn Loaded Towers White	44KMTC94W
11" Horn Loaded Towers Charcoal	44KMTC114
11" Horn Loaded Towers White	44KMTC114W



KM SERIES MARINE TOWER SYSTEMS

Full Range Tower System **41KMT674**

- Full range high quality two way speaker system
- Dual 6-1/2" woofers flank a unique exponential horn loaded tweeter
- Includes (2) injection molded ABS enclosures
- Designed for above or below bar mounting
- Billet aluminum mounting brackets and clamp inserts adjust to 7 common sizes
- 5-way binding post
- Stainless steel mounting hardware
- Removable UV treated grills
- All components are UV treated and weatherproof



40KMMTES



12KMTESW



12KMTED



41KMTES8W

KM SERIES MARINE TOWER ENCLOSURES

- Empty enclosures for mounting on a boat wake tower or other pipes
- KMTED is for two pairs of drivers (4 total)
- KMTES is for a single pair of drivers (2 total)
- Speakers not included
- Tough ABS, weather-proof empty enclosures with slotted mounting holes
- Enclosures feature a nine-degree axis rotation in either direction
- Aluminum tower-pipe clamps (2-5/8") with 3 adapter sizes (2-1/4", 2-3/8", 2-1/2")
- Durable, stainless-steel push-type connectors
- Includes mounting hardware and polyfill
- KMTAP adapter pack allows fitting to other pipe diameters: 1-5/8", 1-3/4", 1-7/8" and 2" (sold separately)

Single 4" Enclosures - Black	40KMMTES
Single 4" Enclosures - White	40KMMTESW
Single 6" Enclosures - Black	12KMTES
Single 6" Enclosures - White	12KMTESW
Dual 6" Enclosures - Black	12KMTED
Dual 6" Enclosures - White	12KMTEDW
Single 8" Enclosures - Black	43KMTES8B
Single 8" Enclosures - White	43KMTES8W
Pipe Diameter Adapter Pack	12KMTAP



KM SERIES COMPONENT SYSTEMS

6-1/2" Component Set **41KMS674C**

- The KMS67 - horn-loaded, compression driver component system
- Two 6 1/2-inch, high-efficiency midrange speakers with lightweight, dual neo-magnet technology and cast-aluminum baskets with heat-sinking properties
- Two 2-inch, horn-loaded compression drivers with titanium diaphragms and phase plugs for ultimate clarity and volume
- Integral crossovers complete the package
- Horn also fits the same existing tower can with the same hole diameter and bolt pattern as the 6-1/2" midrange speakers



- Meet or exceed industry standards for environmental humidity and corrosion
- All have sealed motors, cones
- Splash and spray resistant injection-molded cones
- Santoprene® surrounds, baskets, and grilles UV-treated
- Corrosion-proof, 316 stainless-steel hardware

KM SERIES MARINE COMPONENTS & COAXIALS

4" 2Ω Coaxials, 150W, Charcoal & White Grilles	45KM42
4" 4Ω Coaxials, 150W, Charcoal & White Grilles	45KM44
6-1/2" 4Ω Coaxials, 150W, White Grilles	41KM604W
6-1/2" 4Ω Coaxials, 150W, White Grilles, Blue LED Illumination	45KM604WL
6-1/2" 4Ω Coaxials, 195W, Charcoal & White Grilles	45KM654
6-1/2" 4Ω Coaxials, 195W, Charcoal & White Grilles, Multi Color LED Illumination	45KM654L
8" 4Ω Coaxials, 300W, Charcoal & White Grilles, Multi Color LED Illumination	45KM84L
Wireless Controller for LED's - 19 Dynamic Modes Including Brightness, Fade, Speed & Strobe	41KMLC



KM SERIES MARINE SUBWOOFER

- 175w RMS / 350w peak power handling
- Splash and spray-resistant injection-molded cone with Santoprene® surround
- UniPlate back plate and pole piece
- Thick tinsel leads
- Large ceramic magnet
- Polymer basket resists corrosion
- Meets or exceeds ASTM standards for UV and Salt/Fog exposure
- Stainless mounting hardware included

ALSO

- 7 Color LED Grilles - upgradeable to 20 colors / 19 modes with KMLC

10" 2Ω Subwoofer	45KM102
10" 4Ω Subwoofer	45KM104
12" 2Ω Subwoofer	45KM122
12" 4Ω Subwoofer	45KM124
10" FREEAIR 2Ω Sub	45KMF102
10" FREEAIR 4Ω Sub	45KMF104
12" FREEAIR 2Ω Sub	45KMF122
12" FREEAIR 4Ω Sub	45KMF124
10" Charcoal LED Grill	45KMG10C
10" White LED Grill	45KMG10W
12" Charcoal LED Grill	45KMG12C
12" White LED Grill	45KMG12W



KXM SERIES MARINE AMPLIFIERS

- Class D power supply
- 24dB subsonic filter, variable 24dB crossover
- SHOCwave bass restoration processor (mono & 5ch amplifiers)
- KickEQ 12dB variable bass boost
- Illuminated gain control with optimal input indicator
- Conformal coated circuit boards & gasket sealed cover panel
- ABYC/NMMA compliant power connections
- UV treated aluminum chassis with teal illumination
- Advanced remote level control included
- Stainless Mounting Hardware

1 x 1200w @ 2Ω	44KXMA12001
2 x 600w @ 2Ω	44KXMA12002
2 x 200w @ 2Ω	44KXMA4002
4 x 100w @ 2Ω	44KXMA4004
4x100w + 1x400w @ 2Ω	44KXMA8005
8 x 100w @ 2Ω	44KXMA8008



KM SERIES MARINE AMPLIFIERS

- Class D power supply
- 24dB subsonic filter, variable 12dB crossover
- KickEQ 12dB variable bass boost
- Full range RCA outputs
- Conformal coated circuit boards
- ABYC/NMMA compliant power connections
- Remote level control included
- Stainless mounting hardware

1 x 600w @ 2Ω	45KMA6001
2 x 75w @ 2Ω	45KMA1502
4 x 75w @ 2Ω	45KMA3004
6 x 75w @ 2Ω	45KMA4506

ALL-IN-ONE MEDIA CENTER

KMC20



- Weather Resistant Design
- 3.5" Full Color LCD Display with Blue Accent Illumination
- AM/FM/Weather Band with RDS
- **SiriusXM Ready**
- **Dual Rear USB & RCA AUX Inputs**
- **Dual Source / Dual Zone Control**
- Bluetooth® Audio Streaming
- Front / Rear / **Sub / Zone 2** Pre-Amp Outputs
- 50 Watts x 4 (2 Ohm Stable)
- **5-Band EQ** (Presets & Custom)
- EEPROM Memory with Two Wire Power Connection (Ground & Switched Power)
- Low Battery Alert
- Controllable By KRC15 and PXIRCX Remotes

ALL-IN-ONE MEDIA CENTER

KMC10



- Weather Resistant Design
- 3.5" Full Color LCD Display with Blue Accent Illumination
- AM/FM/Weather Band with RDS
- Rear USB & RCA AUX Inputs
- Bluetooth® Audio Streaming
- Front & Rear Pre-Amp Outputs
- 50 Watts x 4 (2 Ohm Stable)
- **3-Band EQ** (Bass, Midrange, Treble)
- EEPROM Memory with Two Wire Power Connection (Ground & Switched Power)
- Low Battery Alert
- Controllable By KRC15 and PXIRCX Remotes

WIRED REMOTE FOR KICKER MEDIA CENTER

KRC15



- Weather Resistant Design
- Blue LED Display with Blue Accent Illumination
- Remote Functionality for KMC20 & KMC10 Units
- Optional KRCEXT25 - 25' Extension Cable
- Optional KRCY1 – Splitter/Multiple KRC15 Remotes



KMC2 MEDIA CENTER

KMC2



- Fits In 3-5/8" Gauge Opening
- Easy To Read LCD Screen
- Uses USB, RCA, AM/FM And Bluetooth Audio Sources
- USB Audio Playback Or 5V/1A Charging
- 2 Sets Of RCA Outputs
- 25W x 4 Output
- Compatible With PXIRCX Remote

PXBTC BLUETOOTH CONTROLLER

43PXBTC



- Add Bluetooth to any audio system with this simple weatherproof controller
- 3.5mm Aux input
- 5V RCA output



PXI BLUETOOTH AMPLIFIED CONTROLLERS

- Integrated Bluetooth for music streaming from your mobile device
- Great for motorcycles, UTVs, boats, hot rods, golf carts, ATVs, tractors, etc
- Back-lit blue LED, wired remote with basic functions mounts conveniently
- 3.5mm aux-input for hard-wiring other MP3 devices
- RCA stereo outputs for use with other amps in a larger system
- Weather-resistant amplifier provides 50 watts RMS x 2 (2 Ohms)
- Amplifier features high efficiency, low current draw and great sound quality
- Max current draw 10A
- Mounting hardware for handlebars or flush for dashes
- USB connector for hard-wired 5V charging

Amplified Controller **42PXiBT1002**

Additional Remote **40PXiRCX**

Additional remote with 30' cable and Y-adapter for expanded control of PXI's.



PX SERIES POWERSPORTS AMPLIFIERS

- Specifically designed for motorized vehicles with small battery/charging systems, and in an incredibly small footprint that can be installed in motorcycle saddle bags or fairings, glove compartments and other small spaces.
- No-rust, stainless-steel mounting hardware and a single Molex plug containing all wiring connections makes for easy installation.
- PXA Amps utilize a speaker (amplified) or low (pre-amp) level input, variable input gain adjustment and two auto turn-on modes (DC offset or 12-volt trigger).
- PXA Amps take into account real-world, open-air listening in powersports applications, smartly directing power where it succeeds - in the 40-to-250-hertz frequency range where a biker or rider can truly hear and feel it in the open air. It also contains a differential audio circuit that reduces engine noise in the audio system for low T.H.D. and superb clarity at high volumes.

1 x 500w @ 2Ω **42PXA5001**

1 x 200w @ 2Ω **42PXA2001**

2 x 100w @ 1Ω **42PXA2002**

4 x 75w @ 2Ω **42PXA3004**



PSM3 MINI ENCLOSED SPEAKERS

- Mounts directly onto handlebars, making installation a breeze
- Full range 3" driver loaded in durable, high quality chrome plated enclosures
- Highly efficient - handles 50w RMS, 100W MAX
- Perfect for motorcycles, golf carts, scooters, jet skis, and quads

3" 2Ω Coaxials **40PSM32**

3" 4Ω Coaxials **40PSM34**



PS SERIES POWERSPORTS COAXIALS

- Highest grade weather resistant materials and adhesives applied
- Sophisticated, lightweight neodymium magnet for high output, low weight
- Durable, lightweight poly cone attached to specially designed inverted surround
- Advanced midrange and tweeter motor structure for longterm power handling
- 20mm, neo-titanium domed tweeters are bridge-mounted
- PS4 - Lightweight neodymium magnet structure. Fits perfectly into Honda Goldwing fairing and rear seat cutouts, and KMMTES bullet enclosures.
- PS5250 - Fits Harley Davidson and Victory motorcycles
- PS69 - Heavy duty ceramic magnets for high power handling and volume. Great for motorcycle bag lids, side by side UTV's, Jeeps and 4x4's.

4" 2Ω Coaxials **40PS42**

4" 4Ω Coaxials **40PS44**

5-1/4" 2Ω Coaxials **10PS5250**

5-1/4" 4Ω Coaxials **10PS52504**

6-1/2" 2Ω Coaxials **42PSC652**

6-1/2" 4Ω Coaxials **42PSC654**

6" x 9" 2Ω Coaxials **40PS692**

6" x 9" 4Ω Coaxials **40PS694**



COMP RT SUBWOOFERS

- True shallow-mount subwoofer
- Suitable for the trickiest installs - Great for compact car or motorcycle saddlebags
- Large-diameter, progressive-roll spider
- Inverted-bumped back plate and bumped top plate for full clearance and excursion
- High-temp coil wire winding around high-mass, solid pole piece
- Injection-molded polypropylene cone and tough Santoprene® surround
- Fully weather-proof for outdoor applications and powersports

6-3/4" Comp RT Dual 1Ω **43CWRT671**

6-3/4" Comp RT Dual 2Ω **43CWRT672**



TRHDP AUDIO PROGRAMMER

- Compatible with all 2014-newer Harley Davidson motorcycles with a KICKER audio kit
- Works with base, Boom 6.5, and Boom! Box GTS radios
- Custom coded programmer works with your factory six-pin diagnostic port
- Optimize your factory radio for peak performance
- Dramatically improved sound quality and diagnostic reset

Harley Audio Programmer **TRDHDP**

KICKER Vehicle Specific Solutions are factory-engineered to fit in a specific vehicle make, model and year.

SubStage™ Upgrade includes a loaded subwoofer enclosure, 200-watt integrated amplifier, wiring kit and mounting brackets. The enclosure contains a 10-inch subwoofer for significant bass response.

PowerStage™ Upgrade includes the SubStage Upgrade, plus a multi-channel DSP amplifier for factory speakers, wiring kit and mounting brackets.

Klock Werks™ Upgrade includes a pair of weatherproof powersports coaxial speakers and a compact stereo adapter that fits in a fairing, with a 100% plug and play wiring harness.

KICKER delivers the thrill and musical accuracy of a live-concert experience minus the crowds, putting high performance audio specifically made for your vehicle right there in your front seat. It includes big-bass subwoofers in a small space, high-efficiency, low power-draw amplifiers, a unique sound signature from multi-channel amps with DSP, and all in factory mounting locations with no modifications.

You will love it because it offers:

- No cutting - mounts directly to factory locations offering a cosmetically original factory look
- Computer-optimized, 32-bit digital signal processing tuned specifically for your vehicle
- Minimum impact on your vehicle's charging system
- 3-year warranty (parts and labor) when installed by an Authorized KICKER Dealer



SubStage™



PowerStage™



Klock Werks™

SUBSTAGE POWERED SUBWOOFER UPGRADE KIT

Go to <http://www.kicker.com/vehicle-specific-solutions> for applications - too many to list!

POWERSTAGE POWERED SUBWOOFER UPGRADE KIT

Go to <http://www.kicker.com/vehicle-specific-solutions> for applications - too many to list!

KLOCK WERKS FIT KIT

- 1996-2013 Harley Davidson Electra Glide, Street Glide, Ultra Glide & Trikes with Bat Wing Fairing Front Speaker/Amp Upgrade
- 1998-2013 Harley Davidson Road Glide Front Speaker/Amp Upgrade
- 1996-2013 Harley Davidson Rear Speaker/Amp Upgrade
- 2014-2015 Indian Chieftain Front Speaker/Amp Upgrade
- 2011-2015 Kawasaki Vaquero Front Speaker/Amp Upgrade
- 2010-2015 Victory Cross Country Front Speaker/Amp Upgrade
- 2010-2015 Victory Cross Country Rear Speaker/Amp Upgrade

- FHDESU96
- FHDR98
- RHDT96
- FINC14
- FKAVV09
- FVICXC10
- RVICXC10

For more details and product images, please visit www.kicker.com