

WET SOUNDS SOURCE UNITS



WSMC1

4-Zone Marine Media Center

- Marine grade AM/FM/Weather RDS tuner
- SiriusXM Ready (tuner sold separately)
- Bluetooth streaming, 3.5mm input, USB input, Pandora
- Simple & secure pairing for Android & iOS
- 5" Ultra bright TFT display
- Voltage monitor and alarm
- Displays album art from connected devices
- Playlist & folder browsing via BT or USB connection
- 4-Zone output with 4V signal
- 4 x 50W @ 2 ohm max output
- Adjustable input gain levels
- Day/Night illumination
- Water-resistant rotary control for IPX6 intrusion protection
- Conformal coated PC board for IPX5 intrusion protection
- Accepts up to 3 optional MC-TR transom remotes
- Fully upgradeable software & firmware via USB port
- Controls 4-Zone RGB lighting w/optional WS-4Z-RGB-BB

WS4ZRGBBB

4-Zone Black Box RGB Controller for WSMC1

MCTR

Transom Remote for MC1

MCTREXT

23' Extension Cable for MCTR

MCTRY

Y-Cable for MCTR

WSMC2

2-Zone Marine Media Center

- Marine grade AM/FM/Weather RDS tuner
- Bluetooth streaming, 3.5mm input, USB input, Pandora
- Simple & secure pairing for Android & iOS
- 2.7" Ultra bright TFT display
- Front panel independent secondary zone control
- Playlist & folder browsing via BT or USB connection
- 7 Band digital equalization
- Front & Rear 4V preamp output
- 4 x 50W @ 2 ohm max output
- Adjustable input gain levels
- Day/Night illumination
- IPX6 rated
- Accepts MC-TR transom remote
- Fully upgradeable software & firmware via USB port

WWX-POL-RC-ADAP

Polaris Ride Command Adapter

- Adapts Polaris Ride Command output to RCA

WWBTVC

Bluetooth Controller

Bluetooth has never been so easy! The Wet Sounds Bluetooth controller has the ability to pause, play, track forward, track backwards and adjust volume up & down of your Bluetooth device. All from the simple and easy to use single knob design!

- The perfect add on for the WS-420 SQ
- iPhone, Android & Bluetooth Device Ready
- One knob controls it all – track, pause & volume
- Flush in dash or under dash mounting options
- 3.5 mm output – Easy Add-on to any radio with AUX input

WWBTRS

Bluetooth Controller

Bluetooth has never been so easy! The Wet Sounds Bluetooth controller has the ability to pause, play, track forward, track backwards and adjust volume up & down of your Bluetooth device. All from the simple and easy to use single knob design!

- Controls Volume +/-, Track +/-, Pause & Aux Input
- Mounts in a standard Carling switch opening
- 3.5mm connections for main output & aux input
- Volume controls the Bluetooth & Aux
- Amp turn On/Off output

WWBTUR

Bluetooth Receiver

Add Bluetooth connectivity to your vehicle or vessel
Connects to receivers or amps (proper inputs required)
Control volume and music using your Bluetooth device
IPX6 water-resistant

- Pauses during inactivity to prolong battery life
- Built-in indicator lights
- Mounts just about anywhere

STEALTH 6 COOLER



| | |
|-------------------|--|
| SHIVR55BLK | 55qt Cooler Sound System - Black |
| SHIVR55GRY | 55qt Cooler Sound System - Battleship Grey |
| SHIVR55WHT | 55qt Cooler Sound System - White |

- 55 Quart Cooler
- STEALTH6 Soundbar w/200W Amp
- Built-In Bluetooth
- Built-In Lithium Ion Battery
- Up To 8hrs Play Time
- AUX Input & Outputs
- AC Charger Included
- Double Wall Insulation
- Rope Carry Handles
- Rubber Latches

| | |
|-----------------------|---------------------------------|
| GSFULLBLK/GRAY | Black Over Grey Cooler Skin Kit |
|-----------------------|---------------------------------|

2.4 GHZ SEND & RECEIVE



| | |
|---------------------|--------------------------|
| WSALINKSRKIT | 2.4GHz Audio Transmitter |
|---------------------|--------------------------|

- Wirelessly broadcast audio from one audio system to another with AUX input
- Each module can be programmed to send OR receive

SIGNAL PROCESSING



| | |
|----------------|---|
| WS420BT | Dual Zone Equalizer with Integrated Bluetooth |
|----------------|---|

| | |
|----------------|---------------------|
| WS420SQ | Dual Zone Equalizer |
|----------------|---------------------|

- 4 band 12 dB parametric EQ
- Separate EQ adjustments for tower and cabin speakers
- Master volume
- Independent volume for tower and cabin speakers
- Independent volume and frequency control for sub
- Bluetooth input (WS420BT only)
- Main Input & 3.5mm Auxiliary Input
- Talk Back Microphone for rider communication through tower speakers (mutes tower audio only)
- Independent Talk Back Microphone volume control
- Wet Sounds Exclusive Boat Link™ 3.5mm aux output jack
- Blue or Red illumination
- Optional WSEQIDM aluminum mounting bracket

| | |
|----------------|--|
| WS220BT | 4 Zone Level Control with Integrated Bluetooth |
|----------------|--|

- 4 Zone Level Control
- Master volume allows control of all 4 zones
- Bluetooth input
- Main Input & 3.5mm Auxiliary Input
- Talk Back Microphone for rider communication through tower speakers (mutes Zone 1 audio only)
- Independent Talk Back Microphone volume control
- Wet Sounds Exclusive Boat Link™ 3.5mm aux output
- Blue or Red illumination
- Optional WSEQIDM aluminum mounting bracket



| | |
|-----------------|--------------------------------|
| WSEQIDMB | Black Aluminum 1/2 DIN Bracket |
|-----------------|--------------------------------|

STEALTH SERIES



| | |
|-----------------------|---|
| 6ULTRAHD-B | Stealth Ultra 6 Amplified Soundbar with Bluetooth • Black |
| 6ULTRAHD-W | Stealth Ultra 6 Amplified Soundbar with Bluetooth • White |
| STEALTHSURGE6 | Stealth Ultra 6 Amplified Soundbar without Bluetooth • Black |
| 10ULTRAHD-B | Stealth Ultra 10 Amplified Soundbar with Bluetooth • Black |
| 10ULTRAHD-W | Stealth Ultra 10 Amplified Soundbar with Bluetooth • White |
| STEALTHSURGE10 | Stealth Ultra 10 Amplified Soundbar without Bluetooth • Black |

- Bluetooth Audio Receiver
- 200 watt full range Class D amplifier (STEALTH 6)
- 300 watt full range Class D amplifier (STEALTH 10)
- Auxiliary inputs & Auxiliary output with 2 volt line driver
- Backlit control panel for power, volume, source, track, pause/play and mute
- Auto shut-off after 10 minutes
- Sealed design for UTV, ATV, Golf Carts & Marine
- Full Extruded aluminum housing
- Dynamic, full range performance
- (4) 3" full range marine drivers (STEALTH 6)
- (8) 3" full range marine drivers (STEALTH 10)
- (2) 1" titanium tweeters (STEALTH 6)
- (2) 1" titanium tweeters (STEALTH 10)
- Aluminum L bracket mounting system
- Waterproof harness with screw together connections
- Stainless steel hardware
- RF Remote with steering wheel cradle

| | |
|----------------------|---|
| STEALTH6CORE | Stealth Core 6 Passive Soundbar • Black |
| STEALTH10CORE | Stealth Core 6 Passive Soundbar • Black |

- Sealed design for UTV, ATV, Golf Carts & Marine
- Full Extruded aluminum housing
- Dynamic, full range performance
- (4) 3" full range marine drivers (STEALTH 6)
- (8) 3" full range marine drivers (STEALTH 10)
- (2) 1" titanium tweeters (STEALTH 6)
- (2) 1" titanium tweeters (STEALTH 10)
- Aluminum L bracket mounting system
- Waterproof harness with screw together connections
- Stainless steel hardware



| | |
|---------------------|-------------------------------------|
| STADPSLIDER | Stealth Slider Mounting Brackets |
| STADPRND1.5 | 1.5" Round Stealth Slider Adapter |
| STADPRND1.75 | 1.75" Round Stealth Slider Adapter |
| STADPRND2 | 2" Round Stealth Slider Adapter |
| STADPSQ.75 | .75" Square Stealth Slider Adapter |
| STADPSQ1.0 | 1.0" Square Stealth Slider Adapter |
| STADPSQ1.25 | 1.25" Square Stealth Slider Adapter |

STEALTH SERIES SUBWOOFER



| | |
|--------------------|--|
| STEALTHAS10 | 10" Stealth Subwoofer w/500W Amplifier |
| STEALTHAS8 | 8" Stealth Subwoofer w/500W Amplifier |
| STEALTHAS6 | 6" Stealth Subwoofer w/500W Amplifier |

- Complete all-in-one package
- 500 Watt Class-D high efficiency amplifier
- Rotationally molded polyethylene enclosure
- Composite cone with high excursion rubber surround
- Thermal, over voltage, and under voltage protection
- Aluminum mesh grille and stainless steel hardware
- Auto or manual turn-on function
- Variable Low Pass Crossover and Variable Bass Boost
- Remote Bass Control
- Plug & Play connection with STEALTH sound bars

STX MICRO SERIES AMPLIFIERS



| | |
|--------------------|----------------------------------|
| STX MICRO 1 | 1 x 600 @ 1 ohm 1 x 420 @ 2 ohms |
| STX MICRO 4 | 4 x 130 @ 2 ohms 4 x 80 @ 4 ohms |

Created for the limited space in many ATV/UTV vehicles, with a chassis size of 9.25 inches long, 4 inches wide, and a height of 1.5 inches, the STX Micro 1 and STX Micro 4 pack amazing power into a minimum footprint! The small yet powerful amplifiers are designed with a completely sealed die cast aluminum chassis for maximum protection against water and dirt intrusion. Both STX models are outfitted with 3.5mm signal input connections to work seamlessly with our Bluetooth controllers (BTVCC) or direct connection to most smart phone's headphone output.

The STX Micro-1 mono block subwoofer amplifier has output power capability of 420Wx1 into 2 Ohms & 600 Wx1 into 1 Ohm and also includes fully variable Bass Boost and adjustable low pass crossover.

The STX Micro-4 has a rated output power capability of 80wx4 into 4 Ohms & 130 Wx4 into 2 Ohms. Bridged power on the STX Micro-4 is 280Wx2 into 4 Ohms, with fully variable high pass/low pass crossovers. A set of pass-through outputs on the STX Micro-4 allows connection to a second amplifier, and the multichannel switching mode enables all four channels of output with only 2 channels of input, eliminating the need for Y adaptors.

AMPLIFIERS



| | |
|-------------|---------------------------------------|
| SDX6 | 6 x 290w @ 2 ohms • 6 x 185w @ 4 ohms |
|-------------|---------------------------------------|

The Sinister amplifiers use superior performance circuitry by utilizing Wet Sounds exclusive Class D Power Supplies combined with Wet Sounds MAXED™ Power supply. The MAXED power supply is a patent pending technology designed to provide high efficiency levels never thought to be achievable in a mobile audio amplifier. What this means to you. Less current draw, less strain on the electrical system, less generated heat. All this results in more play time! The Sinister amplifiers share one size full cast aluminum chassis for all models making installation a breeze and the ability to have a clean install.

- Removeable wire plugs
- Marine compliant
- 4 Layer PCB
- Stainless steel hardware
- Advanced intelligent microprocessor controlled
- Wet Sounds extensive crossover network
- Top mounted crossover controls
- Thermal rollback technology
- Remote level control
- Backlit logo badge (Red/White/Blue)



| | |
|-------------|---|
| HTX1 | 1 x 650w RMS @ 2 ohms • 1 x 330w RMS @ 4 ohms |
| HTX2 | 2 x 300w RMS @ 2 ohms • 2 x 150w RMS @ 4 ohms |
| HTX4 | 4 x 150w RMS @ 2 ohms • 4 x 100w RMS @ 4 ohms |
| HTX6 | 6 x 150w RMS @ 2 ohms • 6 x 100w RMS @ 4 ohms |

Wet Sounds™ Hydro-Tech™ X (HTX) Series Amplifier. Wet Sounds represents the ultimate in High Performance Marine Audio. Wet Sounds HTX Series Marine Amplifiers are designed to be a complete solution for every type of extreme marine application. HTX amplifiers use superior performance circuitry by utilizing Class D Power Supplies. These amplifiers have extreme power output packed inside a small chassis, thermal overload protection, flexible crossovers, extended inputs. HTX amplifiers are a well balanced match for all of the Wet Sounds™ products.

- Removeable wire plugs
- Conformal coated PCB
- Completely sealed salt water compliant heat sink
- Stainless steel hardware
- Microprocessor controlled
- Wet Sounds extensive crossover network
- Backlit logo badge

REVOLUTION SERIES TOWER SPEAKERS



- REV TEC technology provides remarkable volume and full range on axis and off axis at long distances
- Reinforced composite enclosure
- HLCD Horn loaded compression driver
- Wet Sounds EFG Epoxy Fiber Glass speaker cone
- Polyurethane surround
- Wet Sounds extensive crossover network
- Stainless steel hardware
- Peak Power: REV8 400w, REV10 600w, REV410 800w




| | |
|-----------------|---|
| REV8BSC | 8" Black Tower Speakers w/Swivel Clamp |
| REV8WSC | 8" White Tower Speakers w/Swivel Clamp |
| REV10BSC | 10" Black Tower Speakers w/Swivel Clamp |
| SUITZ8 | Neoprene cover for REV8 |
| SUITZ10 | Neoprene cover for REV10 |

Also available: 8", 10" and Dual 10" versions in White or Black, with Fixed, Swivel or X Mount.

ICON SERIES TOWER SPEAKERS



- Reinforced composite enclosure
- 1" horn flare titanium tweeter
- Composite speaker cone
- Polyurethane surround
- Wet Sounds extensive crossover network
- Stainless steel hardware
- Peak Power Handling: 300w



| | |
|---------------------|--|
| ICON8BFCMINI | 8" Black Tower Speakers w/Mini Fixed Clamp (Polaris) |
|---------------------|--|

Also available: White or Black, with Fixed, Swivel or X Mount.

LED SPEAKER RINGS



| | |
|-----------------------|---|
| LEDKIT6RGB | 6-1/2" LED Speaker Rings - R/G/B (requires RFRGBMCV2) |
| LEDKIT8RGB | 8" LED Speaker Rings - R/G/B (requires RFRGBMCV2) |
| LEDKITREV8RGB | 8" LED Speaker Rings - R/G/B (requires RFRGBMCV2) |
| LEDKITREV10RGB | 10" LED Speaker Rings - R/G/B (requires RFRGBMCV2) |
| LEDKIT10RGB | 10" LED Speaker Rings - R/G/B (requires RFRGBMCV2) |
| LEDKIT12RGB | 12" LED Speaker Rings - R/G/B (requires RFRGBMCV2) |



| | |
|------------------|---|
| RFRGBMCV2 | Multi Function RGB LED Music Controller |
|------------------|---|

- Capacitive touch-sensitive color wheel RF remote & controller
- 3 music modes : LED lighting reacts with the beat of the music
- 5 pre-programmed color changing modes
- Built-in dimmer control
- Remembers last mode

| | |
|-----------------|--|
| TC3S6PIN | Pair of 6-Pin Connectors w/TC3 Swivel Clamps |
|-----------------|--|

- Required when adding LED lighting to REV series tower speakers

MARINE SPEAKERS



| | |
|------------------|--|
| REVO6XSS | 6-1/2" Coaxials w/Silver XS Grill |
| REVO6XBSS | 6-1/2" Coaxials w/Black Stainless Steel XS Grill |
| REVO6SWW | 6-1/2" Coaxials w/White Closed Style Grill |
| REVO8XSS | 8" Coaxials w/Silver XS Grill |

The brand new REVO series coaxials from Wet Sounds feature a high power design with a full rubber spider & surround suspension system, Nylas (Nylon Fiberglass) frame & grill, injection molded composite cone and high output titanium dome tweeter. This unique combination makes the REVO series a true high performance marine class family of speakers! The REVO series are simply the best made & best performing marine speakers on the planet today!



| | |
|--------------------|--|
| REVO10FAS2B | 10" 2 Ohm Free Air Subwoofer • 600w Peak |
| REVO10FAS4B | 10" 4 Ohm Free Air Subwoofer • 600w Peak |
| REVO10HPS4B | 10" 4 Ohm High Power Subwoofer • 800w Peak |
| REVO12FAS2B | 12" 2 Ohm Free Air Subwoofer • 1000w Peak |
| REVO12FAS4B | 12" 4 Ohm Free Air Subwoofer • 1000w Peak |

- Powder coated cast aluminum frame
- Injection molded composite cone
- Santoprene rubber spider
- Santoprene rubber surround
- Gold plated terminals



| | |
|-------------------------|-------------------------------------|
| REVO10XSSGRILL | 10" Silver Subwoofer Grill |
| REVO10XSBSSGRILL | 10" Black Stainless Subwoofer Grill |
| REVO10SWWGRILL | 10" White Subwoofer Grill |
| REVO12XSSGRILL | 12" Silver Subwoofer Grill |
| REVO12XSBSSGRILL | 12" Black Stainless Subwoofer Grill |
| REVO12SWWGRILL | 12" White Subwoofer Grill |

| | |
|------------------------|---|
| REVO10SUBRGBKIT | RGB Puck For REVO 10 Grills (no controller) |
| REVO12SUBRGBKIT | RGB Puck For REVO 12 Grills (no controller) |



| | |
|-------------------------|---|
| REV696RS | 6 x 9" Pro Series Coaxials • 600w Peak |
| • EFG Cone | • Titanium diaphragm horn loaded compression driver |
| • Polyurethane Surround | • Grills included |



| | |
|-------------------|---|
| RECON6BG | 6-1/2" Coaxials w/Black Grill • 120w Peak |
| RECON6S | 6-1/2" Coaxials w/Silver Grill • 120w Peak |
| RECON6SRGB | 6-1/2" Coaxials w/Silver Grill & RGB LEDs • 120w Peak |
| RECON8SRGB | 8" Coaxials w/Silver Grill & RGB LEDs • ____w Peak |

| | |
|-------------------|-----------------------------------|
| RECON6PODB | 6-1/2" Tower Speakers • 120w Peak |
|-------------------|-----------------------------------|

- Designed to last in the harshest environments
- Perfect for low power applications, even head unit power
- Component style coaxial
- Grille mounted tweeter allows for sealed woofer
- Santoprene spider & surround
- Injection molded composite cone
- Nylas frame & silver colored grille
- 3/4" Aluminum dome tweeter
- 4 Ohm impedance

| | |
|------------------|--|
| RECON10BG | 10" Subwoofer w/Black Grille • ____w Peak |
| RECON10S | 10" Subwoofer w/Silver Grille • ____w Peak |